


MACHINE X

MX PILE DRILLING RIG

Power You Can Rely On.



Product
Catalog



MX-680F PV PILE DRILLING RIG


machinexheavy.com

Model	MX-MYG-680F
Bore diameter(hammer)	100-400
Bore depth(m)	0-6
Air consumption(m ³ /min)	10-26
Air pressure(Mpa)	0.7-1.6 (medium) 1.6 - 2.46 (high)
Pipe diameter(mm)	76/89
Rock Hardness(F)	6-20
Bore diameter(screw)	Max400
Bore depth(screw)	0-30
Screw pipe diameter(mm)	130-400
Once promotion(mm)	3200
Skid pitch(°)	100
Swinging angle of skid(°)	Left and right40
Rotation speed(r/min)	0-80
Engine power(kw)	Yuchai 4108, 85KW
Climbability(°)	35
Dimension(L*W*H)(mm)	4700*1950*2500
Weight(kg)	4750
Walk speed(km/h)	0.25



MX-680F PV PILE DRILLING RIG

Drilling deep, building stronger foundations.

 +852 9057 9035

**Machinex Global Limited
Unit B 11/F, Yam Tze Commercial Building
23 Thomson Road, Wan Chai
Hong Kong**

MACHINEX

sales@machinexheavy.com

